### EOS-430 M730

Datasheet

Streamlined, Versatile Solution for Global Retail and General Industrial Applications

With its compact, streamlined antenna design and the excellent global RF performance of its innovative IC, the EOS-430 Impinj M730 inlay is the product of choice for a wide range of applications. They comprise brand protection and inventory management for apparel, fashion items and homewares, as well as supply chain, logistics and general industrial tagging purposes.

The inlay is available in dry, wet and paper-face format, making it the perfect basis for solutions that will satisfy the needs of the retail industry as well as many general industrial segments.

Equipped with 128-bit EPC memory, the Impinj M730 RAIN RFID chip provides high performance, fast inventory capability, and advanced features for nextgeneration, universal RAIN RFID tags. TAGEOS

Tageos was one of the first companies to qualify for ARC Quality Certification for its manufacturing operations from Auburn University RFID Lab.

EOS-430 M730 complies with ARC specifications F, G, I, J, K, L, N, O, Q, R, B1, W1, W2, W3, W4, W5 and W6.

Like all Tageos' RFID products, EOS-430 M730 complies with ISO 9001:2015 Quality Management System and ISO 14001:2015 Environmental Management System as well as Environmental Directives RoHS and REACH, utilizing sustainable materials such as FSC® certified paper whenever possible.

### Overview

IC: EPC/User Memory: TID Memory: Frequency Band: Protocol: Impinj M730 128 bit / - bit 96 bit incl. 48 bit unique S/N 860 - 960 MHz EPC Class 1 Gen 2 ISO 18000-63

#### **Application Areas**

- Apparel
- Inventory Visibility
- Parts Management
- Supply Chain Management
- Track & Trace






EOS-430 M730

## TACEOS

### **Technical Overview**

	Dry Inlay	Wet Inlay	Paper-face Inlay
Product Code	430000017	430000018	430000019
Antenna Size	70 x 8 mm	70x 8 mm	70 x 8 mm
	2.76 x 0.31 in	2.76 x 0.31 in	2.76 x 0.31 in
Die-cut Size	-	74 x 12 mm	74 x 12 mm
	-	2.91 x 0.47 in	2.91 x 0.47 in
Web Width	80 ± 1 mm	80 ± 1 mm	80 ± 1 mm
	3.15 ± 0.04 in	3.15 ± 0.04 in	3.15 ± 0.04 in
Pitch	16 ± 0.5 mm	16 ± 0.5 mm	16 ± 0.5 mm
	0.63 ± 0.02 in	0.63 ± 0.02 in	0.63 ± 0.02 in
Antenna Material	Aluminium	Aluminium	Aluminium
Front Face	-	Clear PET	TT Paper
Inlay Substrate	Clear PET	Clear PET	Clear PET
Inlay Adhesive	-	Permanent	Permanent
Liner	-	Paper	Paper
Operating	-40°C / +85°C	-40°C / +85°C	-40°C / +85°C
Temperature	-40°F / +185°F	-40°F / +185°F	-40°F / +185°F
Final Inspection	100% tested	100% tested	100% tested
Market Approvals	F, G, I, J, K, L, N, O, Q, R, Y, E	81; F, G, I, J, K, L, N, O, Q, R, Y, B1;	F, G, I, J, K, L, N, O, Q, R, Y, B1;
	W1, W2, W3, W4, W5, W6	W1, W2, W3, W4, W5, W6	W1, W2, W3, W4, W5, W6



PTFE

#### Contact us:

FS

Tageos HQ . 1340 rue de Pinville . 34000 Montpellier . France . sales@tageos.com

- PU



Graphs: All the graphs are indicative: performance in real life applications may vary. The data has been determined based on calculations for transmitters with a normal output power level and respective IC silicon. Storage & handling precautions: Observe standard storage and handling practices to minimize Electro Static Discharge. Tageos reserves the right to change its products and services at any time without notice. As our products are used in circumstances beyond our control, we cannot be held liable for any damages caused through their use. This is a general purpose product not designed or intended for any specific application.

- cs


© 2023 Tageos All rights reserved. The pictures and illustrations found on this document are for illustration purposes only, and do not necessarily represent the exact products. Tageos is a registered trademark. All other trademarks are the property of their respective owners. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use.

EOS-430 M730



## **Product Specifications**

### **Mechanical Dimensions**



		Dry Inlay	Wet Inlay	Paper-face Inlay
Product Code		430000017	430000018	430000019
Antenna Size	Α×Β	70 x 8 mm / 2.76 x 0.31 in	70 x 8 mm / 2.76 x 0.31 in	70 x 8 mm / 2.76 x 0.31 in
Die-cut Size	C×D	-	74 x 12 mm / 2.91 x 0.47 in	74 x 12 mm / 2.91 x 0.47 in
Web Width	E	80 ± 1 mm / 3.15 ± 0.04 in	80 ± 1 mm / 3.15 ± 0.04 in	80 ± 1 mm / 3.15 ± 0.04 in
Pitch	F	16 $\pm$ 0.5 mm / 0.63 $\pm$ 0.02 in	16 ± 0.5 mm / 0.63 ± 0.02 in	16 $\pm$ 0.5 mm / 0.63 $\pm$ 0.02 in
Antenna to Web Edge	G1	$5 \pm 1 \text{ mm} / 0.2 \pm 0.04 \text{ in}$	-	-
Antenna to Die-cut	G2	-	$2 \pm 1 \text{ mm}$ / 0.08 $\pm$ 0.04 in	2 ± 1 mm / 0.08 ± 0.04 in
Die-cut to Web Edge	Н	-	3 ± 1 mm / 0.12 ± 0.04 in	3 ± 1 mm / 0.12 ± 0.04 in
Antenna Gap	1	8 mm / 0.31 in	-	-
Converting Spot	J	4 x 3.6 mm / 0.16 x 0.14 in	-	-
Bad Mark	К	0 6 mm / 0.24 in	0 6 mm / 0.24 in	0 6 mm / 0.24 in
Interleaves	L	yes	no	no

## EOS-430 M730



### **Packing Details**

	Dry Inlay	Wet Inlay	Paper-face Inlay
Product Code	430000017	430000018	430000019
Delivery Format	Roll (single row)	Roll (single row)	Roll (single row)
Core Inner Diameter	76 mm / 2.99 in	76 mm / 2.99 in	76 mm / 2.99 in
Roll Outer Diameter	291 mm / 11.46 in	351 mm / 13.82 in	179 mm / 7.05 in
Unwinding Direction	Label on outside of roll	Label on outside of roll	Label on outside of roll
Standard Roll Size	38 000	33 000	5 000
Min. Guar. Yield/Roll	98.5%	98.5%	98.5%
Box Dimensions	39.5 x 39 x 17 cm /	39.5 x 39 x 17 cm /	26 x 26 x 37 cm /
	15.56 x 15.35 x 6.69 in	15.56 x 15.35 x 6.69 in	10.24 x 10.24 x 14.57 in
Roll/Box	1	1	4
Inlays/Box	38 000	33 000	20 000
Box Gross Weight	5.36 kg / 11.82 lbs	7.77 kg / 17.13 lbs	6.52 kg / 14.37 lbs
Pallet Dimensions	120 x 80 x 151 cm /	120 x 80 x 151 cm /	120 x 80 x 126 cm /
	47.2 x 31.5 x 59.4 in	47.2 x 31.5 x 59.4 in	47.2 x 31.5 x 49.6 in
Boxes/Pallet	48	48	36
Inlays/Pallet	1824000	1 584 000	720 000
Pallet Gross Weight	282 kg / 622 lbs	398 kg / 877 lbs	260 kg / 573 lbs



Tageos HQ . 1340 rue de Pinville . 34000 Montpellier . France . sales@tageos.com



© 2023 Tageos All rights reserved. The pictures and illustrations found on this document are for illustration purposes only, and do not necessarily represent the exact products. Tageos is a registered trademark. All other trademarks are the property of their respective owners. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use.